

**S.C. Kubitech S.R.L.**  
700268 Iași, Bd. Socola 57, bl. A1, RO 8508803, J22/874/1996  
T/F: 0232 257.555, contact@kubitech.ro, www.kubitech.ro  
RO39 BPOS 2400 2831 438R OL01 - Bancpost Iași



**Kubitech**  
tehnică de frig



## Filtre deshidratoare

Model	Conexiuni	
	filet SAE	sudabil mm
WEU 032 F	1/4"	---
WEU 033 F	3/8"	
WEU 052 F	1/4"	
WEU 053 F	3/8"	
WEU 082 F	1/4"	
WEU 083 F	3/8"	
WEU 084 F	1/2"	
WEU 162 F	1/4"	
WEU 163 F	3/8"	
WEU 164 F	1/2"	
WEU 165 F	5/8"	
WEU 303 F	3/8"	
WEU 304 F	1/2"	
WEU 305 F	5/8"	
WEU 414 F	1/2"	

WEU 415 F	5/8"	
WEU 0306MMS/032 S		6
WEU 0506MMS/052 S		6
WEU 0510MMS/053 S		10
WEU 0806MMS/082 S		6
WEU 0810MMS/083 S		10
WEU 0812MMS/084 S		12
WEU 1606MMS/162 S		6
WEU 1610MMS/163 S		10
WEU 1612MMS/164 S		12
WEU 165 S	---	16
WEU 3010MMS/303 S		10
WEU 3012MMS/304 S		12
WEU 305 S		16
WEU 307 S		22
WEU 4112MMS/414 S		12
WEU 415 S		16
WEU 417 S		22
WEU 759 S		28



## Filtre deshidratoare

Model	Cod Danfoss	Conexiuni	Model	Cod Danfoss	Conexiuni	Volum intern
		filet SAE			sudabil mm	cmc
DML 032	023Z503500	1/4"	DML 032s	023Z455100	6	41
DML 033	023Z509000	3/8"	DML 033s	023Z455400	10	41
DML 052	023Z503700	1/4"	DML 052s	023Z455800	6	65
DML 053	023Z503800	3/8"	DML 053s	023Z456100	10	65
DML 082	023Z503900	1/4"	DML 082s	023Z456600	6	100
DML 083	023Z504000	3/8"	DML 083s	023Z456900	10	100
DML 084	023Z504100	1/2"	DML 084s	023Z457100	12	100
			DML 085s	023Z457300	16	100
DML 162	023Z504200	1/4"	DML 162s	023Z457400	6	225
DML 163	023Z504300	3/8"	DML 163s	023Z457700	10	225
DML 164	023Z504400	1/2"	DML 164s	023Z457900	12	225
DML 165	023Z504500	5/8"	DML 165s	023Z458100	16	225
DML 303	023Z004900	3/8"	DML 303s	023Z458400	10	480
DML 304	023Z005000	1/2"	DML 304s	023Z458600	12	480
DML 305	023Z005100	5/8"	DML 305s	023Z458800	16	480
			DML 306s	023Z458900	19	480
			DML 307s	023Z459000	22	480
DML 413	023Z010800	3/8"	DML 414s	023Z459300	12	650
DML 414	023Z010900	1/2"	DML 415s	023Z459500	16	650
DML 415	023Z011000	5/8"	DML 417s	023Z459600	22	650
			DML 604s	023Z459900	12	960
			DML 606s	023Z460100	19	960
			DML 607s	023Z460200	22	960
			DML 609s	023Z460300	28	960
			DML 757s	023Z460500	22	1300
			DML 759s	023Z460600	28	1300

- filtrele sunt pentru linia de lichid si pentru toate tipurile de agenti frigorifici
- presiune maxima de lucru : 42 bar

Model	Cod Danfoss	Caracteristici
48DC	023U4381	cartus univ.